SAFETY DATA SHEET



1. Identification

Product identifier BEHR PREMIUM PLUS Interior Semi-Gloss Enamel - Ultra Pure White

Other means of identification

Product code 3050

Recommended use Architectural Coating

Recommended restrictions Uses other than the recommended use.

Manufacturer/Importer/Supplier/Distributor information

Supplier Behr Process Canada, Ltd.

110-600 Barlow Square S.E.

Calgary, AB T2C 5T7

Emergency telephone (US)+1 760 476 3962

(US)+1 866 519 4752

Access code 335213

2. Hazard identification

Physical hazards Not classified.

Health hazards Sensitization, skin Category 1

Label elements



Signal word Warning

Hazard statement May cause an allergic skin reaction.

Precautionary statement

Prevention Avoid breathing mist/vapours. Contaminated work clothing should not be allowed out of the

workplace. Wear protective gloves.

Response IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical

advice/attention. Take off contaminated clothing and wash it before reuse.

Storage Not assigned.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental information None.

Other hazards None known.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Titanium dioxide		13463-67-7	10 - 30
2-Methyl-2H-isothiazol-3-one		2682-20-4	0 - 0.1
5-Chloro-2-methyl-2,3-dihydroisothi azol-3-one and 2-Methyl-2,3-dihydroisothiazol-3-on e (3:1)	CIT/MIT	55965-84-9	0 - 0.1
5-Chloro-2-methyl-2H-isothiazol-3-o ne		26172-55-4	0 - 0.1

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in

BEHR PREMIUM PLUS Interior Semi-Gloss Enamel - Ultra Pure White

percent by volume.



SDS Canada

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

IngestionRinse mouth. Get medical attention if symptoms occur.Most importantMay cause an allergic skin reaction. Dermatitis. Rash.

Most important symptoms/effects, acute and

delayed

ffects, acute and

Indication of immediate medical attention and special

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

treatment needed

General informationEnsure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Absorb spillage with suitable absorbent material. Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Persons susceptible to allergic reactions should not handle this product. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see section 10 of the SDS).



8. Exposure controls/personal protection

Components	alues (TLV) Type	Value	Form
Titanium dioxide (CAS 13463-67-7)	TWA	2.5 mg/m3	Respirable finescale particles
		0.2 mg/m3	Respirable nanoscale particles
• •	oational Health & Safety Code, Sci	•	d
Components	Туре	Value	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Canada. British Columbia OEI Safety Regulation 296/97, as a	Ls. (Occupational Exposure Limit amended)	s for Chemical Substances, O	ccupational Health and
Components	Туре	Value	Form
Titanium dioxide (CAS 13463-67-7)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
Canada. Manitoba OELs (Req	. 217/2006, The Workplace Safety	And Health Act), as amended	
Components	Туре	Value	Form
Titanium dioxide (CAS 13463-67-7)	TWA	2.5 mg/m3	Respirable finescale particles
		0.2 mg/m3	Respirable nanoscale particles
Canada. New Brunswick OEL:	s: Threshold Limit Values (TLVs)	Based on the 1991 and 1997 A	CGIH TLVs and BEIs
Publication (New Brunswick F	-		
Components	Туре	Value	
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Canada. Ontario OELs. (Contr Components	ol of Exposure to Biological or C Type	hemical Agents), as amended Value	
<u> </u>	<u> </u>		
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
	try of Labor - Regulation respect	ing occupational health and sa	afety)
	Type	Value	Form
Canada. Quebec OELs. (Minis Components Titanium dioxide (CAS 13463-67-7)	-	-	Form Total dust.
Components Titanium dioxide (CAS 13463-67-7) Canada. Saskatchewan OELs	Туре	Value 10 mg/m3	Total dust.
Components Titanium dioxide (CAS 13463-67-7) Canada. Saskatchewan OELs Components Titanium dioxide (CAS	Type TWA (Occupational Health and Safety	Value 10 mg/m3 Regulations, 1996, Table 21),	Total dust.
Components Titanium dioxide (CAS 13463-67-7) Canada. Saskatchewan OELs Components Titanium dioxide (CAS	Type TWA (Occupational Health and Safety Type	Value 10 mg/m3 Regulations, 1996, Table 21), Value	Total dust.
Components Titanium dioxide (CAS 13463-67-7) Canada. Saskatchewan OELs Components Titanium dioxide (CAS 13463-67-7)	Type TWA (Occupational Health and Safety Type 15 minute	Value 10 mg/m3 Regulations, 1996, Table 21), Value 20 mg/m3 10 mg/m3	Total dust.
Components Titanium dioxide (CAS 13463-67-7) Canada. Saskatchewan OELs Components Titanium dioxide (CAS 13463-67-7) ogical limit values ropriate engineering trols	Type TWA (Occupational Health and Safety Type 15 minute 8 hour	Value 10 mg/m3 Regulations, 1996, Table 21), Value 20 mg/m3 10 mg/m3 for the ingredient(s). used. Ventilation rates should be local exhaust ventilation, or oth mmended exposure limits. If exp	Total dust. as amended e matched to conditions. If er engineering controls to
Components Titanium dioxide (CAS 13463-67-7) Canada. Saskatchewan OELs Components Titanium dioxide (CAS 13463-67-7) ogical limit values ropriate engineering trols	Type TWA (Occupational Health and Safety Type 15 minute 8 hour No biological exposure limits noted Good general ventilation should be applicable, use process enclosures, maintain airborne levels below records	Value 10 mg/m3 Regulations, 1996, Table 21), Value 20 mg/m3 10 mg/m3 for the ingredient(s). used. Ventilation rates should be local exhaust ventilation, or oth mmended exposure limits. If exps to an acceptable level.	Total dust. as amended e matched to conditions. If er engineering controls to
Components Titanium dioxide (CAS 13463-67-7) Canada. Saskatchewan OELs Components Titanium dioxide (CAS 13463-67-7) ogical limit values ropriate engineering trols	Type TWA (Occupational Health and Safety Type 15 minute 8 hour No biological exposure limits noted of Good general ventilation should be applicable, use process enclosures, maintain airborne levels below reconstablished, maintain airborne levels	Value 10 mg/m3 Regulations, 1996, Table 21), Value 20 mg/m3 10 mg/m3 for the ingredient(s). used. Ventilation rates should be local exhaust ventilation, or oth mmended exposure limits. If exposure to an acceptable level. ment	Total dust. as amended e matched to conditions. If er engineering controls to bosure limits have not been
Components Titanium dioxide (CAS 13463-67-7) Canada. Saskatchewan OELs Components Titanium dioxide (CAS 13463-67-7) ogical limit values ropriate engineering trols vidual protection measures, si	Type TWA (Occupational Health and Safety Type 15 minute 8 hour No biological exposure limits noted of Good general ventilation should be applicable, use process enclosures, maintain airborne levels below recomplicated, maintain airborne levels uch as personal protective equiprocess.	Value 10 mg/m3 Regulations, 1996, Table 21), Value 20 mg/m3 10 mg/m3 for the ingredient(s). used. Ventilation rates should be local exhaust ventilation, or oth mmended exposure limits. If exposure to an acceptable level. ment	Total dust. as amended e matched to conditions. If er engineering controls to bosure limits have not been
Components Titanium dioxide (CAS 13463-67-7) Canada. Saskatchewan OELs Components Titanium dioxide (CAS 13463-67-7) ogical limit values ropriate engineering trols vidual protection measures, si Eye/face protection Skin protection	Type TWA (Occupational Health and Safety Type 15 minute 8 hour No biological exposure limits noted of Good general ventilation should be applicable, use process enclosures, maintain airborne levels below recomplicated, maintain airborne levels uch as personal protective equiprocess.	Value 10 mg/m3 Regulations, 1996, Table 21), Value 20 mg/m3 10 mg/m3 for the ingredient(s). used. Ventilation rates should be local exhaust ventilation, or oth mmended exposure limits. If exposure to an acceptable level. ment ds (or goggles). Face shield is referred.	Total dust. as amended e matched to conditions. If er engineering controls to bosure limits have not been



Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators. Chemical respirator with organic vapour cartridge and full facepiece. Use a positive-pressure air-supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection. Selection and use of respiratory protective equipment should be in

accordance with CSA Standard Z94.4.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Physical stateLiquid.FormLiquid.ColourWhite.OdourSlight.

Melting point/freezing point Not available.

Boiling point or initial boiling point and boiling range

Flammability Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper Not available.

(%)

Flash point Not applicable.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

pH 7 - 10

Kinematic viscosity Not available.

Solubility

Solubility (water) Not available.

Partition coefficient Not applicable.

(n-octanol/water) (log value)

Vapour pressure Not available.

Density and/or relative density

Density10.39 lb/galVapour densityNot available.Particle characteristicsNot available.

Other information

Explosive properties Not explosive.

Oxidising properties Not oxidising.

Viscosity 50 - 140 KU

VOC 3 g/l (excluding water) (Coating) 1 g/l (including water) (Material)

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoidContact with incompatible materials.

Incompatible materials Strong oxidising agents.

950414

Hazardous decompositionNo hazardous decomposition products are known.

Version #: 02

products



11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. Skin contact May cause an allergic skin reaction.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Test Results Components **Species**

Titanium dioxide (CAS 13463-67-7)

Acute Oral

LD50 Rat

> 5000 mg/kg

Skin corrosion/irritation Serious eye damage/eye

irritation

Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitisation

Canada - Alberta OELs: Irritant

Irritant Titanium dioxide (CAS 13463-67-7)

Respiratory sensitisation Not a respiratory sensitiser.

May cause an allergic skin reaction. Skin sensitisation

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Not classifiable as to carcinogenicity to humans. Carcinogenicity

Inhalation of titanium dioxide dust may cause cancer, however due to the physical form of the

product, inhalation of dust is not likely.

ACGIH Carcinogens

Titanium dioxide (CAS 13463-67-7) A3 Confirmed animal carcinogen with unknown relevance to

humans.

Canada - Manitoba OELs: carcinogenicity

Titanium dioxide (CAS 13463-67-7) Confirmed animal carcinogen with unknown relevance to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Prolonged inhalation may be harmful. **Chronic effects**

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential No data available. No data available. Mobility in soil Other adverse effects No data available.



BEHR PREMIUM PLUS Interior Semi-Gloss Enamel - Ultra Pure White SDS Canada

950414 Version #: 02 Revision date: 20-September-2024 Issue date: 04-November-2019

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

16. Other information

Issue date04-November-2019Revision date20-September-2024

Version No. 02



SDS Canada

BEHR PREMIUM PLUS Interior Semi-Gloss Enamel - Ultra Pure White 950414 Version #: 02 Revision date: 20-September-2024 Issue date: 04-November-2019 **List of abbreviations** IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

LD50: Lethal Dose, 50%.

MARPOL: International Convention for the Prevention of Pollution from Ships.

TDG: Transportation of Dangerous Goods.

TWA: Time Weighted Average.

References HSDB® - Hazardous Substances Data Bank

Disclaimer

Behr Process LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to

responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.



BEHR PREMIUM PLUS Interior Semi-Gloss Enamel - Ultra Pure White

SDS Canada

950414 Version #: 02 Revision date: 20-September-2024 Issue date: 04-November-2019