

Safety Data Sheet according to HPR, Schedule 1

Printing date 09/07/2017

Reviewed on 09/07/2017

1 Identification

- **Product identifier**
- **Trade name:** 048-8649-8 PREMIER ACTIVE DRYWALL PRIMER SEALER DEEP BASE
- **Article number:** 048-8649-8
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

UCP PAINT INC.
19500 Rte Transcanadienne
Baie D'Urfe, H9X 3S4, Quebec, Canada
(514) 457-1512
- **Information department:** Product safety department
- **Emergency telephone number:** Chemtrec: 24 Hours 1-800-424-9300

2 Hazard identification

- **Classification of the substance or mixture**



Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



- **Signal word** Warning
- **Hazard-determining components of labeling:**
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)
1,2-benzisothiazol-3(2H)-one
- **Hazard statements**
May cause an allergic skin reaction.
- **Precautionary statements**
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Wear protective gloves.
Contaminated work clothing should not be allowed out of the workplace.
Specific treatment (see on this label).
If skin irritation or rash occurs: Get medical advice/attention.
IF ON SKIN: Wash with plenty of water.

(Contd. on page 2)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 09/07/2017

Reviewed on 09/07/2017

Trade name: 048-8649-8 PREMIER ACTIVE DRYWALL PRIMER SEALER DEEP BASE

(Contd. of page 1)

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Hazard description:**

· **WHMIS-symbols:**

D2B - Toxic material causing other toxic effects



· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 2

Fire = 0

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = 2

Fire = 0

Reactivity = 0

3 Composition/Information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	0,0015-<0,06% w/w
------------	---	-------------------

4 First aid measures

· **Description of first aid measures**

· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** Immediately call a doctor.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

CA

(Contd. on page 3)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 09/07/2017

Reviewed on 09/07/2017

Trade name: 048-8649-8 PREMIER ACTIVE DRYWALL PRIMER SEALER DEEP BASE

(Contd. of page 2)

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/ Personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 4)

CA

Safety Data Sheet

according to HPR, Schedule 1

Printing date 09/07/2017

Reviewed on 09/07/2017

Trade name: 048-8649-8 PREMIER ACTIVE DRYWALL PRIMER SEALER DEEP BASE

(Contd. of page 3)

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing.
 Wash hands before breaks and at the end of work.
 Avoid contact with the eyes and skin.
- **Breathing equipment:**
 In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**
 The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
 The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:	Liquid
Color:	Whitish
Odor:	Ammonia-like
Odor threshold:	Not determined.

· pH-value at 20 °C:	< 9
-----------------------------	-----

- **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C

· Flash point:	Not applicable.
-----------------------	-----------------

· Flammability (solid, gaseous):	Not applicable.
---	-----------------

(Contd. on page 5)

CA

Safety Data Sheet

according to HPR, Schedule 1

Printing date 09/07/2017

Reviewed on 09/07/2017

Trade name: 048-8649-8 PREMIER ACTIVE DRYWALL PRIMER SEALER DEEP BASE

(Contd. of page 4)

· Ignition temperature:	
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C:	23 hPa
· Density at 20 °C:	1,18 g/cm ³
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0,1 %
Water:	51,3 %
Solids content:	20,2 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
 - **Acute toxicity:**
 - **Primary irritant effect:**
 - **on the skin:** Irritant to skin and mucous membranes.
 - **on the eye:** Irritating effect.
 - **Sensitization:** No sensitizing effects known.
 - **Additional toxicological information:**
- The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful

(Contd. on page 6)

CA

Safety Data Sheet

according to HPR, Schedule 1

Printing date 09/07/2017

Reviewed on 09/07/2017

Trade name: 048-8649-8 PREMIER ACTIVE DRYWALL PRIMER SEALER DEEP BASE

(Contd. of page 5)

Irritant

· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

12174-11-7	Attapulgit (Palygorskite) (fibrous dust)	3
14808-60-7	Quartz (SiO ₂)	1

· **NTP (National Toxicology Program)**

14808-60-7	Quartz (SiO ₂)	K
------------	----------------------------	---

12 Ecological information

· **Toxicity**· **Aquatic toxicity:** No further relevant information available.· **Persistence and degradability** No further relevant information available.· **Behavior in environmental systems:**· **Bioaccumulative potential** No further relevant information available.· **Mobility in soil** No further relevant information available.· **Additional ecological information:**· **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**· **Recommendation:** Disposal must be made according to official regulations.· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· **UN-Number**· **DOT, TDG, IMDG, IATA** Void· **UN proper shipping name**· **DOT, TDG, IMDG, IATA** Void· **Transport hazard class(es)**· **DOT, TDG, IMDG, IATA**· **Class** Void· **Packing group**· **DOT, TDG, IMDG, IATA** Void

(Contd. on page 7)

Safety Data Sheet

according to HPR, Schedule 1

Printing date 09/07/2017

Reviewed on 09/07/2017

Trade name: 048-8649-8 PREMIER ACTIVE DRYWALL PRIMER SEALER DEEP BASE

(Contd. of page 6)

- | | |
|--|-----------------|
| · Environmental hazards: | Not applicable. |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Void |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

1336-21-6 ammonia

- **TSCA (Toxic Substances Control Act):**

1317-65-3 Calcium Carbonate

14808-60-7 Quartz (SiO₂)

7320-34-5 tetrapotassium pyrophosphate

60864-33-7 benzyl-polyethylene glycol (1,1,3,3-tetramethylbutylphenyl)ether

1336-21-6 ammonia

124-68-5 2-amino-2-methylpropanol

9036-19-5 Polyethylene glycol octylphenyl ether

526-95-4 D-gluconic acid

2634-33-5 1,2-benzisothiazol-3(2H)-one

25322-68-3 Polyethylene glycol

7732-18-5 water, distilled, conductivity or of similar purity

- **Canadian substance listings:**

- **Canadian Domestic Substances List (DSL)**

37244-96-5 Nepheline syenite

14808-60-7 Quartz (SiO₂)

7320-34-5 tetrapotassium pyrophosphate

60864-33-7 benzyl-polyethylene glycol (1,1,3,3-tetramethylbutylphenyl)ether

1336-21-6 ammonia

124-68-5 2-amino-2-methylpropanol

9036-19-5 Polyethylene glycol octylphenyl ether

526-95-4 D-gluconic acid

2634-33-5 1,2-benzisothiazol-3(2H)-one

25322-68-3 Polyethylene glycol

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

7732-18-5 water, distilled, conductivity or of similar purity

(Contd. on page 8)

CA

Safety Data Sheet

according to HPR, Schedule 1

Printing date 09/07/2017

Reviewed on 09/07/2017

Trade name: 048-8649-8 PREMIER ACTIVE DRYWALL PRIMER SEALER DEEP BASE

(Contd. of page 7)

· **Canadian Ingredient Disclosure list (limit 0.1%)**

None of the ingredients is listed.

· **Canadian Ingredient Disclosure list (limit 1%)**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labeling:**

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

1,2-benzisothiazol-3(2H)-one

· **Hazard statements**

May cause an allergic skin reaction.

· **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves.

Contaminated work clothing should not be allowed out of the workplace.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Product safety department

· **Contact:** UCP PAINT

· **Date of preparation / last revision** 09/07/2017 / -

· **Abbreviations and acronyms:**

ELINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative