

Printing date 01/11/2021 Reviewed on 01/11/2021

1 Identification

· Product identifier

· Trade name: 048-7922-2 LATEX PREMIER INTERIOR SEMI GLOSS WHITE

· Article number: 048-7922-2, 048-7988-6, 048-7921-4

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

UCP PAINT INC.

19500 Rte Transcanadienne

Baie D'Urfe, H9X 3S4, Quebec , Canada

(514) 457-1512

· Information department: Product safety department

· Emergency telephone number: Chemtrec: 24 Hours 1-800-424-9300

2 Hazard identification

· Classification of the substance or mixture



Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

5-chloro-2-methyl-2H-isothiazol-3-one

2-methyl-2H-isothiazol-3-one

1,2-benzisothiazol-3(2H)-one

· Hazard statements

May cause an allergic skin reaction.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

(Contd. on page 2)

Printing date 01/11/2021 Reviewed on 01/11/2021

Trade name: 048-7922-2 LATEX PREMIER INTERIOR SEMI GLOSS WHITE

(Contd. of page 1)

Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerou	Dangerous components:	
57-55-	6 Propylene glycol	0.5-1.5% w/w *
26172-55-	4 5-chloro-2-methyl-2H-isothiazol-3-one	≥0.0015-<0.06% w/w *

^{*} Actual concentration ranges are withheld as a trade secret.

4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot \textit{Indication of any immediate medical attention and special treatment needed}$

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

CA

Printing date 01/11/2021 Reviewed on 01/11/2021

Trade name: 048-7922-2 LATEX PREMIER INTERIOR SEMI GLOSS WHITE

(Contd. of page 2)

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

57-55-6 Propylene glycol (0.5-1.5%)

EV TWA: 155* 10** mg/m³, 50* ppm *vapour and aerosol; **aerosol only

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Printing date 01/11/2021 Reviewed on 01/11/2021

Trade name: 048-7922-2 LATEX PREMIER INTERIOR SEMI GLOSS WHITE

· Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

(Contd. of page 3)

· Information on basic physical and · General Information	chemical properties
· Appearance:	
Form:	Liquid
Color:	White
· Odor:	Ammonia-like
Odor threshold:	Not determined.
· pH-value at 20 °C:	<9
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C:	23 hPa
· Density at 20 °C:	1.28 g/cm³
· Relative density	Not determined.

Not determined.

Not determined.

Fully miscible.

Not determined.

Not determined.

1.5 %

10 Stability and reactivity

· Reactivity No further relevant information available.

· Partition coefficient (n-octanol/water): Not determined.

· Chemical stability

· Vapor density

Water:

· Viscosity: Dynamic:

Kinematic:

· Solvent content:

· Other information

Water:

Organic solvents:

· Evaporation rate

· Solubility in / Miscibility with

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

No further relevant information available.

(Contd. on page 5)

Printing date 01/11/2021 Reviewed on 01/11/2021

Trade name: 048-7922-2 LATEX PREMIER INTERIOR SEMI GLOSS WHITE

(Contd. of page 4)

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (Inter	national Agency for Research on Cancer)	
13463-67-7	titanium dioxide	2B
7631-86-9	silicon dioxide, chemically prepared	3
12174-11-7	1 0	3
14808-60-7	Quartz (SiO2)	1
1333-86-4	Carbon black	2B
· NTP (Nation	nal Toxicology Program)	
14808-60-7	Quartz (SiO2)	K

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

CA ·

Printing date 01/11/2021 Reviewed on 01/11/2021

Trade name: 048-7922-2 LATEX PREMIER INTERIOR SEMI GLOSS WHITE

(Contd. of page 5)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT/TDG, ADR, IMDG, IATA	Not classified as hazardous for transportation
UN proper shipping name DOT/TDG, ADR, IMDG, IATA	Not classified as hazardous for transportation
Transport hazard class(es)	
DOT, ADR, ADN, IMDG, IATA Class	Not classified as hazardous for transportation
Packing group DOT/TDG, ADR, IMDG, IATA	Not classified as hazardous for transportation
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
UN "Model Regulation":	Not classified as hazardous for transportation

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara		
· Section 355	(extremely hazardous substances):	
None of the	ingredients is listed.	
· Section 313	(Specific toxic chemical listings):	
7632-00-0	sodium nitrite	
1336-21-6	ammonia	
107-21-1	ethanediol	
3251-23-8	copper dinitrate	
· TSCA (Tox	ic Substances Control Act):	
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE
13463-67-7	titanium dioxide	ACTIVE
57-55-6	Propylene glycol	ACTIVE
7631-86-9	silicon dioxide, chemically prepared	ACTIVE
		(Contd. on page 7)

Printing date 01/11/2021 Reviewed on 01/11/2021

Trade name: 048-7922-2 LATEX PREMIER INTERIOR SEMI GLOSS WHITE

21645 51 2	aluminium hydroxida	(Contd. of p
	aluminium hydroxide sodium nitrite	ACT ACT
	Polypropylenglycol 2-aminoethanol	ACT
		ACT
1336-21-6		ACT
	Quartz (SiO2)	ACT
	1,2-benzisothiazol-3(2H)-one	ACT
	D-gluconic acid	ACT
	magnesium nitrate	ACT
	5-chloro-2-methyl-2H-isothiazol-3-one	ACT
	2-methyl-2H-isothiazol-3-one	ACT
	ethanediol	ACT
	copper dinitrate	ACT
	Carbon black	ACT
	ubstance listings:	
	omestic Substances List (DSL)	
7732-18-5	water, distilled, conductivity or of similar purity	
13463-67-7	titanium dioxide	
37244-96-5	Nepheline syenite	
57-55-6	Propylene glycol	
7631-86-9	silicon dioxide, chemically prepared	
21645-51-2	aluminium hydroxide	
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	
7632-00-0	sodium nitrite	
25322-69-4	Polypropylenglycol	
141-43-5	2-aminoethanol	
1336-21-6	ammonia	
14808-60-7	Quartz (SiO2)	
2634-33-5	1,2-benzisothiazol-3(2H)-one	
526-95-4	D-gluconic acid	
10377-60-3	magnesium nitrate	
	5-chloro-2-methyl-2H-isothiazol-3-one	
2682-20-4	2-methyl-2H-isothiazol-3-one	
	ethanediol	
3251-23-8	copper dinitrate	
1333-86-4	Carbon black	
· Canadian Iı	ngredient Disclosure list (limit 0.1%)	
	ingredients is listed.	
· Canadian Ii	ngredient Disclosure list (limit 1%)	
57-55-6 Pro	ppylene glycol	

Printing date 01/11/2021 Reviewed on 01/11/2021

Trade name: 048-7922-2 LATEX PREMIER INTERIOR SEMI GLOSS WHITE

(Contd. of page 7)

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

5-chloro-2-methyl-2H-isothiazol-3-one

2-methyl-2H-isothiazol-3-one

1,2-benzisothiazol-3(2H)-one

· Hazard statements

May cause an allergic skin reaction.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Specific treatment (see on this label).

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



1 Health = 1Fire = 0

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: UCP PAINTS
- · Date of the latest revision of the safety data sheet 01/11/2021 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative