

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2016

Reviewed on 07/19/2016

1 Identification

- **Product identifier**
- **Trade name:** 048-8660-8 PREMIER INFINITY FLAT INTERIOR MEDIUM BASE
- **Article number:** 048-8660-8, 048-8659-4
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

UCP PAINT INC.
19500 Rte Transcanadienne
Baie D'Urfe, H9X 3S4, Quebec, Canada
(514) 457-1512
- **Information department:** Product safety department
- **Emergency telephone number:** Chemtrec: 24 Hours 1-800-424-9300

2 Hazard(s) identification

- **Classification of the substance or mixture**



Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



- **Signal word** Warning
- **Hazard-determining components of labeling:**
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)
1,2-benzisothiazol-3(2H)-one
- **Hazard statements**
May cause an allergic skin reaction.
- **Precautionary statements**
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Wear protective gloves/protective clothing/eye protection/face protection.
Contaminated work clothing should not be allowed out of the workplace.
Specific treatment (see on this label).
If skin irritation or rash occurs: Get medical advice/attention.
IF ON SKIN: Wash with plenty of water.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2016

Reviewed on 07/19/2016

Trade name: 048-8660-8 PREMIER INFINITY FLAT INTERIOR MEDIUM BASE

(Contd. of page 1)

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Hazard description:**· **WHMIS-symbols:**

D2B - Toxic material causing other toxic effects

· **Classification system:**· **NFPA ratings (scale 0 - 4)**

Health = 2

Fire = 0

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**

Health = 2

Fire = 0

Reactivity = 0

· **Other hazards**· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**· **Description:** Mixture of the substances listed below with nonhazardous additions.· **Dangerous components:**

61790-53-2	Diatomaceous earth (Silica-Amorphous)	1-5% w/w
55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	0.0015-<0.06% w/w

4 First-aid measures

· **Description of first aid measures**· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** Immediately call a doctor.· **Information for doctor:**· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2016

Reviewed on 07/19/2016

Trade name: 048-8660-8 PREMIER INFINITY FLAT INTERIOR MEDIUM BASE

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 4)

CA

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2016

Reviewed on 07/19/2016

Trade name: 048-8660-8 PREMIER INFINITY FLAT INTERIOR MEDIUM BASE

(Contd. of page 3)

· Control parameters

· Components with limit values that require monitoring at the workplace:

61790-53-2 Diatomaceous earth (Silica-Amorphous)

EL	Long-term value: 4* 1.5** mg/m ³ *total, **respirable
EV	Long-term value: 10* 3** mg/m ³ uncalcined; *inhalable; **respirable

· **Additional information:** The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Liquid
Color:	White
Odor:	Ammonia-like
Odor threshold:	Not determined.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2016

Reviewed on 07/19/2016

Trade name: 048-8660-8 PREMIER INFINITY FLAT INTERIOR MEDIUM BASE

(Contd. of page 4)

· pH-value at 20 °C:	< 9
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C:	23 hPa
· Density at 20 °C:	1.25 g/cm ³
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
Water:	49.3 %
Solids content:	26.7 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

CA

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2016

Reviewed on 07/19/2016

Trade name: 048-8660-8 PREMIER INFINITY FLAT INTERIOR MEDIUM BASE

(Contd. of page 5)

11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.

- **on the eye:** Irritating effect.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

13463-67-7	titanium dioxide	2B
61790-53-2	Diatomaceous earth (Silica-Amorphous)	3
7631-86-9	silicon dioxide, chemically prepared	3
119-61-9	benzophenone	2B

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2016

Reviewed on 07/19/2016

Trade name: 048-8660-8 PREMIER INFINITY FLAT INTERIOR MEDIUM BASE

(Contd. of page 6)

 · **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· UN-Number	
· DOT, TDG, IMDG, IATA	Void
· UN proper shipping name	
· DOT, TDG, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, TDG, IMDG, IATA	
· Class	Void
· Packing group	
· DOT, TDG, IMDG, IATA	Void
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
1336-21-6	ammonia
· TSCA (Toxic Substances Control Act):	
13463-67-7	titanium dioxide
61790-53-2	Diatomaceous earth (Silica-Amorphous)
7320-34-5	tetrapotassium pyrophosphate
7631-86-9	silicon dioxide, chemically prepared
21645-51-2	aluminium hydroxide
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic
1336-21-6	ammonia
119-61-9	benzophenone
25322-69-4	Polypropylenglycol
526-95-4	D-gluconic acid
2634-33-5	1,2-benzisothiazol-3(2H)-one
25322-68-3	Polyethylene glycol
556-67-2	octamethylcyclotetrasiloxane
7732-18-5	water, distilled, conductivity or of similar purity

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2016

Reviewed on 07/19/2016

Trade name: 048-8660-8 PREMIER INFINITY FLAT INTERIOR MEDIUM BASE

(Contd. of page 7)

· Proposition 65
· Chemicals known to cause cancer:

13463-67-7 titanium dioxide

119-61-9 benzophenone

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories
· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

13463-67-7 titanium dioxide

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

13463-67-7 titanium dioxide

· Canadian substance listings:
· Canadian Domestic Substances List (DSL)

13463-67-7 titanium dioxide

37244-96-5 Nepheline syenite

7320-34-5 tetrapotassium pyrophosphate

7631-86-9 silicon dioxide, chemically prepared

21645-51-2 aluminium hydroxide

64742-65-0 Distillates (petroleum), solvent-dewaxed heavy paraffinic

1336-21-6 ammonia

119-61-9 benzophenone

25322-69-4 Polypropyleneglycol

526-95-4 D-gluconic acid

2634-33-5 1,2-benzisothiazol-3(2H)-one

25322-68-3 Polyethylene glycol

55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

556-67-2 octamethylcyclotetrasiloxane

7732-18-5 water, distilled, conductivity or of similar purity

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

CA

Safety Data Sheet

acc. to OSHA HCS

Printing date 07/19/2016

Reviewed on 07/19/2016

Trade name: 048-8660-8 PREMIER INFINITY FLAT INTERIOR MEDIUM BASE

(Contd. of page 8)

· Hazard pictograms



GHS07

· Signal word Warning

· Hazard-determining components of labeling:

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

1,2-benzisothiazol-3(2H)-one

· Hazard statements

May cause an allergic skin reaction.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

Contaminated work clothing should not be allowed out of the workplace.

Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product safety department

· Contact: UCP PAINT

· Date of preparation / last revision 07/19/2016 / -

· Abbreviations and acronyms:

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

DOT: US Department of Transportation

IATA: International Air Transport Association

LC50: Lethal concentration, 50 percent

SVHC: Substances of Very High Concern