



Date of issue 06/16/2025

Revision: 06/16/2025

1 Identification

- · Product identifier
- · Trade name: 048-8974 PREMIER EXTRA EXTERIOR FLAT WHITE
- · Other means of identification
- · Article number: 048-8973, 048-8974-2
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: UCP PAINT INC. 19500 Rte Transcanadienne Baie D'Urfe,H9X 3S4, Quebec ,Canada (514) 457-1512
- · Information department: Product safety department
- · Emergency telephone number: Chemtrec: 24 Hours 1-800-424-9300

2 Hazard identification

· Classification of the substance or mixture



GHS08 Health hazard

Germ Cell Mutagenicity - Category 1B H340 May cause genetic defects.

Carcinogenicity - Category 1B

H350 May cause cancer.

Reproductive Toxicity - Category 1B

H360 May damage fertility or the unborn child.



GHS07

Sensitization - skin - Category 1

H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling: titanium dioxide

carbendazim (ISO) 5-chloro-2-methyl-2H-isothiaze

5-chloro-2-methyl-2H-isothiazol-3-one benzophenone

· Hazard statements

May cause an allergic skin reaction. May cause genetic defects.

(Contd. on page 2)

Date of issue 06/16/2025 Revision: 06/16/2025

Trade name: 048-8974 PREMIER EXTRA EXTERIOR FLAT WHITE

(Contd. of page 1)

May cause cancer.

May damage fertility or the unborn child.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read carefully and follow all instructions.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

IF ON SKIN: Wash with plenty of water.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| | components: titanium dioxide | 10-30% w/w * |
|------------|---------------------------------------|--------------------|
| | Propylene glycol | 0.5-1.5% w/w * |
| 10605-21-7 | carbendazim (ISO) | ≥0.1-<1% w/w * |
| 119-61-9 | benzophenone | 0.1-1% w/w * |
| 26172-55-4 | 5-chloro-2-methyl-2H-isothiazol-3-one | ≥0.0015-<0.06% w/w |

^{*} Actual concentration ranges are withheld as a trade secret.

4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Date of issue 06/16/2025 Revision: 06/16/2025

Trade name: 048-8974 PREMIER EXTRA EXTERIOR FLAT WHITE

· Advice for firefighters

· Protective equipment: No special measures required.

(Contd. of page 2)

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

37244-96-5 Nepheline syenite (5-10%)

EV TWA: 10 mg/m³

total dust

61790-53-2 Diatomaceous earth (Silica-Amorphous) (1-5%)

EL TWA: 4* 1.5** mg/m³

*total, **respirable

EV TWA: 10* 3** mg/m3

uncalcined; *inhalable; **respirable

57-55-6 Propylene glycol (0.5-1.5%)

EV TWA: 155* 10** mg/m³, 50* ppm

*vapour and aerosol; **aerosol only

(Contd. on page 4)

Date of issue 06/16/2025 Revision: 06/16/2025

Trade name: 048-8974 PREMIER EXTRA EXTERIOR FLAT WHITE

(Contd. of page 3)

112926-00-8 Precipitated silica (Silica-Amorphous) (0.5-1.5%)

EL TWA: 4* 1.5** mg/m3

Precipitated and gel; *total; **respirable

EV TWA: 10 mg/m³

119-61-9 benzophenone (0.1-1%)

EL IARC 2B

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Additional information about design of technical systems: No further data; see section 7.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- General Information

· Physical state

Liquid

· Color:

White

· Odor:

Ammonia-like

· Odor threshold:

Not determined.

· Melting point/Melting range:

Undetermined.

(Contd. on page 5)

Date of issue 06/16/2025 Revision: 06/16/2025

Trade name: 048-8974 PREMIER EXTRA EXTERIOR FLAT WHITE

(Contd. of page 4)

· Boiling point/Boiling range: 100 °C

· Flammability: Not applicable.

Explosion limits:

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.

Decomposition temperature: Not determined.

· pH-value at 20 °C:

· Viscosity:

· Kinematic: Not determined. · Dynamic: Not determined.

· Solubility in / Miscibility with

• Water: Fully miscible.
• Partition coefficient (n-octanol/water): Not determined.

· Vapor pressure at 20 °C: 23 hPa

· Vapor pressure:

Density at 20 °C:
 Relative density
 Vapor density
 Particle characteristics
 1.44 g/cm³
 Not determined.
 Not determined.
 Not applicable.

· Other information

· Appearance:

· Form: Liquid

· Important information on protection of health and

environment, and on safety.

• Ignition temperature: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

· Solvent content:

• Organic solvents: 1.4 % • Water: 37.0 %

· Change in condition

· Evaporation rate Not determined.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

13463-67-7 titanium dioxide

Oral LD50 >20,000 mg/kg (rat)

(Contd. on page 6)

Date of issue 06/16/2025 Revision: 06/16/2025

Trade name: 048-8974 PREMIER EXTRA EXTERIOR FLAT WHITE

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

The product can cause inheritable damage.

· Carcinogenic categories

| 13463-67-7 | titanium dioxide | 2B |
|-------------|--|------|
| 61790-53-2 | Diatomaceous earth (Silica-Amorphous) | 3 |
| 112926-00-8 | Precipitated silica (Silica-Amorphous) | 3 |
| 12174-11-7 | Attalpugite | 3 |
| 119-61-9 | benzophenone | 2B |
| 14808-60-7 | Quartz (SiO2) | 1 |
| 1333-86-4 | Carbon black | · 2B |
| NTP (Nation | al Toxicology Program) | |
| 14808-60-7 | Quartz (SiO2) | K |

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

Date of issue 06/16/2025 Revision: 06/16/2025

Trade name: 048-8974 PREMIER EXTRA EXTERIOR FLAT WHITE

· Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. of page 6)

| · UN-Number · DOT/TDG, ADR, IMDG, IATA | Not classified as hazardous for transportation | |
|---|--|---|
| UN proper shipping name DOT/TDG, ADR, IMDG, IATA | Not classified as hazardous for transportation | |
| Transport hazard class(es) | | |
| DOT/TDG, ADR, ADN, IMDG, IATA Class | Not classified as hazardous for transportation | |
| Packing group DOT/TDG, ADR, IMDG, IATA | Not classified as hazardous for transportation | |
| Environmental hazards: | Not applicable. | - |
| Transport in bulk according to Annex II MARPOL73/78 and the IBC Code | of Not applicable. | |
| Special precautions for user | Not applicable. | |
| UN "Model Regulation": | Not classified as hazardous for transportation | |

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

| None of the | ingredients is listed. | |
|-------------|---|-------|
| | 3 (Specific toxic chemical listings): | |
| | aluminium oxide | |
| 7632-00-0 | sodium nitrite | |
| 1336-21-6 | ammonia | |
| 55406-53-6 | 3-Iodo-2-propynylbutylcarbamate | |
| 107-21-1 | ethanediol | |
| 3251-23-8 | copper dinitrate | |
| TSCA (Toxi | ic Substances Control Act): | |
| 7732-18-5 | water, distilled, conductivity or of similar purity | ACTIV |
| 13463-67-7 | titanium dioxide | ACTIV |
| 61790-53-2 | Diatomaceous earth (Silica-Amorphous) | ACTIV |
| 57-55-6 | Propylene glycol | ACTIV |
| 21645-51-2 | aluminium hydroxide | ACTIV |
| 1344-28-1 | aluminium oxide | ACTIV |
| 7320-34-5 | tetrapotassium pyrophosphate | ACTIV |
| 1332-58-7 | Kaolin | ACTIV |

Date of issue 06/16/2025

Revision: 06/16/2025

Trade name: 048-8974 PREMIER EXTRA EXTERIOR FLAT WHITE

| 7632-00-0 | sodium nitrite | (Contd. of p | |
|-------------------------|---|--------------|--|
| 10605-21-7 | carbendazim (ISO) | ACT | |
| 119-61-9 | benzophenone | ACT | |
| 25322-69-4 | Polypropylenglycol | ACT | |
| 1336-21-6 | ammonia | ACT | |
| 14808-60-7 | Quartz (SiO2) | ACT | |
| 55406-53-6 | 3-Iodo-2-propynylbutylcarbamate | ACT | |
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one | ACT | |
| 526-95-4 | D-gluconic acid | ACT | |
| 25322-68-3 | Polyethylene glycol | ACT | |
| | magnesium nitrate | ACT | |
| 26172-55-4 | 5-chloro-2-methyl-2H-isothiazol-3-one | ACT | |
| 2682-20-4 | 2-methyl-2H-isothiazol-3-one | ACT | |
| 107-21-1 | ethanediol | ACT | |
| 556-67-2 | octamethylcyclotetrasiloxane | ACT | |
| 1333-86-4 | Carbon black | ACT | |
| 3251-23-8 | copper dinitrate | ACT | |
| | ubstance listings: | | |
| Canadian L | Oomestic Substances List (DSL) | | |
| 7732-18 | 7732-18-5 water, distilled, conductivity or of similar purity | | |
| 13463-67- | 7 titanium dioxide | | |
| 37244-96 | Nepheline syenite | | |
| 57-55- | 6 Propylene glycol | | |
| 21645-51- | 2 aluminium hydroxide | | |
| 112926-00- | Precipitated silica (Silica-Amorphous) | | |
| 64742-65- | Distillates (petroleum), solvent-dewaxed heavy paraffinic | | |
| 1344-28- | 1 aluminium oxide | | |
| 7320-34 | tetrapotassium pyrophosphate | | |
| 1332-58- | | | |
| 7632-00-0 | sodium nitrite | | |
| 119-61-9 | benzophenone | | |
| 25322-69-4 | Polypropylenglycol | | |
| 1336-21-0 | ammonia | | |
| 14808-60-7 | Quartz (SiO2) | | |
| 55406-53-0 | 3-Iodo-2-propynylbutylcarbamate | | |
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one | | |
| 526-95-4 | D-gluconic acid | | |
| 25322-68-3 | Polyethylene glycol | | |
| | magnesium nitrate | | |
| 10377-60-3 | | | |
| | 5-chloro-2-methyl-2H-isothiazol-3-one | | |
| 26172-55-4 | 1 5-chloro-2-methyl-2H-isothiazol-3-one 1 2-methyl-2H-isothiazol-3-one | | |
| 26172-55-4 2682-20-4 | | | |

Date of issue 06/16/2025

Trade name: 048-8974 PREMIER EXTRA EXTERIOR FLAT WHITE

(Contd. of page 8)

Revision: 06/16/2025

1333-86-4 Carbon black

3251-23-8 copper dinitrate

· Canadian Non-Domestic Substances List (NDSL)

61790-53-2 Diatomaceous earth (Silica-Amorphous)

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

57-55-6 Propylene glycol

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

S07 GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

titanium dioxide

carbendazim (ISO)

5-chloro-2-methyl-2H-isothiazol-3-one

benzophenone

· Hazard statements

May cause an allergic skin reaction.

May cause genetic defects.

May cause cancer.

May damage fertility or the unborn child.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read carefully and follow all instructions.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

IF ON SKIN: Wash with plenty of water.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 0Reactivity = 0

(Contd. on page 10)

Date of issue 06/16/2025 Revision: 06/16/2025

Trade name: 048-8974 PREMIER EXTRA EXTERIOR FLAT WHITE

· HMIS-ratings (scale 0 - 4)

(Contd. of page 9)

HEALTH 1
FIRE 0

1 Health = 1 0 Fire = 0

REACTIVITY 0 Reactivity = 0

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department
- · Contact: UCP PAINT.
- · Date of previous version 10/29/2024
- · Date of preparation 06/16/2025
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

· * Data compared to the previous version altered.

CA