

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Form: Mixture

Product Name: TMT-TC-2 Tip Tinner

Product Code: TMT-TC-2
Type of Product: Tip Tinner

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant idenfified uses: Soldering.
Uses advised against: No data available

1.3 Details of the supplier of the safety data sheet

Supplier: Thermaltronics USA, Inc.

1 Barstow Road, STE P19 Great Neck, NY, 11021

United States

Email: support@thermaltronics.com Telephone: 1-516-829-2726

Fax: 1-516-829-2891

1.4 Emergency Telephone Number: 1-516-829-2726

SECTION 2. Hazards Identification

2.1 Classification of the substance or mixture

See Section 15 for HMIS/NFPA Rating

Classification according to Regulation (EC) No 1272/2008 [CLP]

H319: Serious eye damage/eye irritation, Category 2A

H335: Specific target organ toxicity, single exposure; Respiratory tract irritation, Category 3

For the full text of the H-Statements mentioned in this Section, see Section 16.

Adverse physicochemical, human health and environmental effects

No additional informational available.

2.2 Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard Pictograms:



Signal Word: Warning

Hazard Statements: H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary Statements:

P102 Keep out of reach of children.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.



	protection. P304 + P340 + in a position con	P280 Wear protective gloves/protective clothing/eye protection/face protection. P304 + P340 + P312 If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell. P305 + P351 + P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.						
	P403 + P233 St P405 Store lock	P337 + P313 If eye irritation persists: Get medical advice/ attention. P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container in accordance with local regulations.						
2.3 Other Hazards	None	None						
SECTION 3. Composition/Information on ingredients								
3.1 Substances	Not Applicable.	Not Applicable.						
3.2 Mixtures								
Components	CAS Number	%	Classification					
Tin	7440-31-5	45-65	Eye Irrit. 2A, H319; STOT SE 3, H335					
Diammonium Phosphate	7783-28-0	35-55	None					
For the full text of the H-Statements Exact percentage (concentration) o None of the materials in this produc	f composition has been v	withheld as a C, or OSHA a	trade secret. s carcinogens.					
4.1 Description of first aid measu	ures							
General Advice:	Consult a physic	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.						
Inhalation:		If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician if unwell.						
Skin Contact:	Wash off with so	Wash off with soap and plenty of water. Consult a physician if unwell.						
Eye Contact:	Rinse thoroughly	Rinse thoroughly with plenty of water. Consult a physician if unwell.						
Ingestion:	Rinse mouth wit	Rinse mouth with water. Consult a physician if unwell.						
4.2 Most important symptoms ar		-						
The most important known symptor								
4.3 Indication of any immediate r	nedical attention and s	pecial treatr	nent needed					

4.3 Indication of any immediate medical attention and special treatment needed

No Data Available.

SECTION 5. Firefighting Measures

5.1 Extinguishing Media

Suitable Extinguising Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable Extinguising Media: None.

5.2 Special hazards arising from the substance or mixture

Tin oxides, Nitrogen oxides (NOx), Oxides of phosphorus

5.3 Advice for Firefighters

Wear self-contained breathing apparatus if necessary.



SECTION 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel / Personal precautions

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

6.1.2 For emergency responders

No additional information available.

6.2 Environmental precautions

Do not empty into drains or water bodies.

6.3 Methods and material for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7. Handling and Storage

7.1 Precautions for safe handling

Keep containers securely sealed when not in use. Avoid physical damage to containers. Use good occupational work practice. Observe manufacturer's storage and handling recommendations. Keep dry. Store under cover. Protect containers against physical damage. For precautions see section 2.2.

Take off immediately all contaminated clothing and wash it before reuse. When handling, do not eat, drink or smoke. Always wash hands with soap and water after handling.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Use packaging as recommended by manufacturer. Avoid reaction with oxidising agents.

7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8. Exposure Controls/Personal Protection							
8.1 Control Parameters:	Components w	Components with workplace control parameters					
	Component	CAS-No.	Value	Control Parameters	Basis		
	Tin	7440-31-5	TWA	2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)		
			TWA	2 mg/m3	USA. NIOSH Recom		



TWA 2 mg/m3 USA. Occupational

Exposure
Limits (OSHA) Table Z-1
Limits for Air
Contaminants

PEL 2 mg/m3

California permissible exposure

limits for chemical contaminants (Title

8, Article 107)

8.2 Exposure Controls

Appropriate Engineering Controls: Keep airborne concentrations below the occupational exposure limits (OEL).

Keep overall exposure as low as possible. For frequent or prolonged

soldering processes, use of a local exhaust system

Personal protective equipment: For likely contacts, use of protective nitrile gloves or other chemically resistant

gloves. If contact with molten metal is likely, wear thermally resistant gloves.

Respiratory Protection: For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle

respirator. For higher level protection use type OV/AG/P99 (US) or type $\,$

ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards

SECTION 9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Physical state: Solid (Tablet)

Appearance: Grey
Odor: Mild

Odor Threshold:

pH:

No data available

No data available

Melting point/Freezing point: 232C Initial boiling point/boiling range: 260C

No data available Flash point: **Evaporation rate:** No data available Flammability (solid; gas): No data available No data available Lower flammable/explosive limit: **Upper flammable/explosive limit:** No data available Vapour pressure: No data available Vapour density: No data available Relative density: No data available Solubility: Partially Soluble Partition coefficient-n-octanol/water: No data available **Auto-ignition temperature:** No data available



Decomposition temperature: No data available

Viscosity:No data availableExplosive properties:No data availableOxidizing properties:No data available

9.2 Other Information

No data available

SECTION 10. Stability and Reactivity

10.1 Reactivity No data available

10.2 Chemical Stability Stable under recommended storage conditions.

10.3 Possibility of Hazardous Reactions10.4 Conditions to AvoidNo data availableNo data available

10.5 Incompatible Materials Strong oxidizing agents, Strong acids, Strong bases

10.6 Hazardous decomp. products See section 5.

SECTION 11. Toxicological Information

11.1 Information on toxicological effects

Acute Toxicity: Tin - No Data Available

Diammonium Phosphate - LD50 Oral - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 425), LC50 Inhalation - Rat - male and female - 4 h - > 5 mg/l (OECD Test Guideline 403), LD50 Dermal - Rat -

male and female - > 5,000 mg/kg (OECD Test Guideline 402)

Skin corrosion/Eye Irritation: Tin - No Data Available

Diammonium Phosphate - Skin - Rabbit; Result: No skin irritation - 24 h (OECD Test Guideline 404); Remarks: (in analogy to similar products)

Serious eye damage/Eye irritation: Tin - No Data Available

Diammonium Phosphate - Eyes - Bovine cornea; Result: No eye irritation - 4

h (OECD Test Guideline 437)

Respiratory or skin sensitization: Tin - No Data Available

Diammonium Phosphate - Local lymph node assay (LLNA) - Mouse; Result:

negative (OECD Test Guideline 429)

Germ cell mutagenicity: Tin - No Data Available

Diammonium Phosphate - Ames test, Escherichia coli/Salmonella

typhimurium, Result: negative; Chromosome aberration test in vitro, Chinese

hamster ovary cells, Result: negative

Carcinogenicity: IARC: No component of this product present at levels greater than or equal to

0.1% is identified as probable, possible or confirmed human carcinogen by

IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to

0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal

to 0.1% is on OSHA's list of regulated carcinogens.



Reproductive Toxicity: No data available

STOT - single exposure: Tin - Inhalation - May cause respiratory irritation.

Diammonium Phosphate - No Data Available

STOT - repeated exposure: No data available
Aspiration hazard: No data available

Additional information: Tin: RTECS: XP7320000

Diammonium Phosphate - RTECS: Not available; Repeated dose toxicity - Rat - male and female - Oral - No observed adverse effect level - 250 mg/kg

SECTION 12. Ecological Information

12.1 Toxicity: Tin: No data available

Diammonium Phosphate:

Toxicity to fish: semi-static test LC50 - Oncorhynchus mykiss

(rainbow trout) - > 100 mg/l - 96 h (OECD Test

Guideline 203)

Toxicity to daphnia static test EC50 - Daphnia magna (Water flea) - > and other aquatic 100 mg/l - 48 h (OECD Test Guideline 202)

invertebrates:

Toxicity to static test EC50 - Pseudokirchneriella subcapitata - algae: > 100 mg/l - 72 h (OECD Test Guideline 201)

Toxicity to static test EC50 - activated sludge - > 100 mg/l - 3 h

bacteria: (OECD Test Guideline 209)

12.2 Persistence and Degradability:No data available12.3 Bioaccumulative Potential:No data available12.4 Mobility in Soil:No data available

12.5 Results of PBT and vPvB

Assessment:

No data available

12.6 Other Adverse Effects: Tin: No data available

Diammonium Phosphate: No data available

SECTION 13. Disposal Considerations

13.1 Waste Treatment Methods

Regional legislation (waste): Disposal must be done according to official regulations.

Product/Packaging disposal Dispose in accordance with local, regional, national and/or international regulation. Do

recommendations: not dispose in sewage or water bodies.

SECTION 14. Transport Information

Ground (Refer to USA DOT 49 CFR (Parts 100 to 185) Regulations.)

Not Dangerous Goods

Air Refer to ICAO-IATA Dangerous Goods Regulations.

Not Dangerous Goods

Sea Refer to IMDG Regulations.

Not Dangerous Goods



SECTION 15. Regulatory Information

United States:

All chemical substances in this product are listed in the EPA (Environmental Protection Agency) and the TSCA (Toxic Substances Control Act) Inventory).

HMIS® Rating (0-4)



NFPA® Rating (0-4)

California Proposition 65

This product does not contain any substances known to be listed in CA Prop 65.

EPCRA (Emergency Planning and Right to Know Act)

This product does not contain ingredients that subject to the reporting requirements of section 313 Title III of the SARA of 1986 and 40 CFR part 372.

TOXIC Substance Control Act (TSCA):

All ingredients are on the TSCA inventory or are not required to be listed on the TSCA inventory.

CANADA:

WHMIS REGULATIONS

The Canadian workplace hazardous materials information system classification for this product is, "This product has been classified in accordance with the hazard criteria of the Canadian Controlled Product Regulations (CPR) and the SDS contains all the information required by the CPR.

EUROPEAN UNION:

RoHS (Restriction of Hazardous Substances Directive)

This product does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's, PBDE's, DEHP, BBP, DBP, or DIBP and complies with European RoHS regulations.

WEEE (Waste Electrical and Electronic Equipment Directive)

This product is not a piece of electrical or electronic equipment, and it is therefore not governed by this regulation.

REACH SVHC (Substances of Very High Concern):

This product does not contain any substances on the SVHC List or Authorization List.



SECTION 16. Other Information

Preparation Information: Created September 1st, 2012. Updated January 6th, 2025.

Revision Summary: This SDS replaces rev. March 14th, 2024

Abbreviations and acronyms

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

STOT SE3: Specific target organ toxicity, single exposure; Respiratory tract irritation, Category 3

Disclaimer: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Thermaltronics be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Thermaltronics has been advised of the possibility of such damages.

Tip Tinner SDS - Page 8 of 8